


Item No : **Cone Bunker**

Capacity	: 9 m ³
Wall Plate. thicknesses	: 5-6 mm.
Old Cone Sheet. thicknesses	: 8 mm.
Removable Bolt Assembly.	

Item No : **Semi Trailer:**

Axel Quantity	: 2 Pcs.
---------------	----------

NOTE: Tires and wheels will be provided by the buyer.



VSI-900-OR-2M

Item No ... : Vertical Shaft Impact Crusher – Open Rotor

Model	: VSI-900-OR-2M
Max Feed Size - Limestone	: 100 mm.
Rotor Type	: Open Rotor
Crushing System	: Anvil Type
Rotor Diameter	: 970 mm.
Hammer Weight	: 40 kg. x 4 Pcs.
Rotor Speed	: 40-50 m/s.
Drive Unit	: 2x200 kW.


Standard Accessories :

- Two different speed by the pulleys
- Legs and walkway
- Hydraulic V-belt tension adjustment system
- SKF Bearings

Item No 13 : Semi Trailer :

Axel Quantity	: 2 Pcs.
---------------	----------

NOT: Tires and rims will be supplied by AYMAK.



Item No: Primary Feeder 25 m³ 35 m³

e-mail: comercial@levi-impex.ro

Feeder Model : APF-132050-I
 Main Dimensions : 1.320 x 5.000 mm
 Drive : Mekanik Tahrik , 30 kW.
 Feeder Body Side Plates : 12 mm. Erdemir mark A1 quality
 Feeder Body Liners : 12 mm. Hardox 400
 Feeder Body Structure : Seamless, bolted type.
 Hooper Structure : 15 mm. Erdemir mark A1 quality plates, supported by
 bended profiles.
 Spring : Estetik yay - mark (60SiCr7)

Item No ... : Primary Impact Crusher

Model : API-160
 Capacity : 450-650 mtph
 Rotor Dimensions : 1.430 x 1.600 mm.
 Drive : 315 kW. 355 kW.
 Inlet Opening : 1.700 x 1.100 mm.
 Max Feed Size- Limestone : 1000 mm.
 Side Plate on Body : 30 mm.
 Hydraulic assistance for crusher settings and maintenance,
 Bearings : Heavy Duty Spherical Roller type SKF mark.
 Bearing Housing : Cast Iron.
 Rotor Weight : 9.010 kg.
 Hammer Weight : 400 kg. (16-18Mn.1,5CrMo)

Item No 3 : Semi Trailer:

Axel Quantity : 2 Pcs.

NOT: Tires and rims will be supplied by AYMAK.



Item No 1: Primary Feeder 35 m³

Feeder Model	: APF-11050-I
Main Dimensions	: W : 1100 mm. x L : 5,000 mm.
Drive	: 1 x 30 kW
Spring	: Estetik yay - mark (60SiCr7)
Feeder Body Side Plates	: 12 mm. Erdemir mark A1 quality
Feeder Body Liners	: 10 mm. Hardox 400
Feeder Body Structure	: Seamless, bolted type.
Hooper Structure	: 15 mm. Erdemir mark A1 quality plates, supported by bended profiles.

Item No 2.: Jaw Crusher (110):

Model	: AJC-110
Main Dimensions	: 1100 x 850 mm
Drive	: 132 Kw- 1000 rpm.
Max. Feed Size	: 800 mm.
Jaw Settings	: 125-200 mm.
Capacity	: 140-250 mtph
Flywheel Speed	: 230 RPM
Jaw Wearing Plates	: % 16-18 Mn alloyed cast iron.
Pitman	: Cast iron
Body	: DIN17100 material, welded and bolted structure
Bearing housings	: Heavy duty type cast iron
Bearings	: Heavy duty type spherical roller bearings (SKF Mark.)

Item No 3: Semi Trailer:

Axel Quantity	: 2 Pcs.
---------------	----------

NOT: Tires and rims will be supplied by AYMAK

