

## VSI-700-CR-M

### Vertical Shaft Impact Crusher – Closed Rotor

Model	: VSI700-CR-M
Capacity	: 50-110 tons/hour
Max Feed Size – Limestone	: 30 mm.
Max Feed Size – Basalt	: 25 mm.
Rotor Type	: Closed Rotor
Rotor Diameter	: Ø700 mm.
Rotor Tip Quantity	: 6 Pcs.
Rotor Speed	: 60-75 m/sec
Drive Unit	: 160 kW./1500 rpm.


\*Rock on Rock System

#### **Standard Accessories :**

Two different speed by the pulleys

Legs and walkway

Hydraulic V-belt tension adjustment system



## VSI-800-CR-M


### Vertical Shaft Impact Crusher – Closed Rotor

Model	: VSI800-CR-M
Capacity	: 150-250 tons/hour
Max Feed Size	: 45-50 mm
Rotor Type	: Closed Rotor
Rotor Diameter	: 900-2 mm
Rotor Tip Quantity	: 6 pcs.
Rotor Speed	: 45-65 m/sec
Drive	: <input type="checkbox"/> 160 kW. <input type="checkbox"/> 250 kW. 1500 rpm

\* Rock on rock system

#### Standard Accessories:

- Two different speed by the pulleys
- Legs and walkway
- Hydraulic V-belt tension adjustment system
- SKF Bearings



## VSI-900-CR-2M


### Vertical Shaft Impact Crusher - Closed Rotor

Model	: VSI900-CR-2M
Capacity	: 200-350 tons/hour
Max Feed Size	: 40-50 mm
Rotor Type	: Closed Rotor
Rotor Diameter	: 900-3 mm
Rotor Tip Quantity	: 9 pcs.
Rotor Speed	: 50-60 m/sec
Drive	: <input type="checkbox"/> 2X160 kW. <input type="checkbox"/> 2X250 kW.

\* Rock on rock system.

#### Standard Accessories :

- Two different speed by the pulleys
- Legs and walkway
- Hydraulic V-belt tension adjustment system
- SKF Bearings




## VSI-900-OR-2M

### Vertical Shaft Impact Crusher – Open Rotor

Model	: VSI-900-OR-2M
Capacity	: 200-320 tons/hour
Max Feed Size	: 100-120 mm.
Rotor Type	: Open Rotor
Crushing System	: Anvil Type
Rotor Diameter	: 1165 mm.
Hammer Weight	: 40 kg. x 4 pcs.
Rotor Speed	: 40-50 m/sec.
Drive Unit	: <input type="checkbox"/> 2X160 kW. <input type="checkbox"/> 2X250 kW.

#### Standard Accessories :

- Two different speed by the pulleys
- Legs and walkway
- Hydraulic V-belt tension adjustment system
- SKF Bearings





## VSI-1000-CR-2M

### Vertical Shaft Impact Crusher – Closed Rotor

Model	: VSI1000-CR-2M
Capacity	: 250-420 tons/hour
Max Feed Size	: 50-60 mm
Rotor Type	: Closed Rotor
Rotor Diameter	: 1000-4 mm (with 4 gates)
Rotor Tip Quantity	: 8 pcs.
Rotor Speed	: 50-60 m/sec
Drive	: <input type="checkbox"/> 2x200 kW. <input type="checkbox"/> 2x250 kW

\* Rock on rock system.

#### Standard Accessories :

- Two different speed by the pulleys
- Legs and walkway
- Hydraulic V-belt tension adjustment system
- SKF Bearings

